


PVC LATTICE



PVC LATTICE PANEL

KEY FEATURES:

- Quick and easy installation with standard tools and hardware screws/adhesive
- No maintenance required
- Surface will accept paint and finishes smoothly
- Durable, sustainable wood-poly composite with a natural timber look and feel
- Router-cut design patterns,
- Available in Black and two patterns
- Resistant to water, mould, mildew, and termites
- Lifetime Limited Warranty



PVC LATTICE PANEL *INSTALLATION IDEAS:*

- Mount on fences, walls, railings any free-standing frames
- Perimeters of decking underneath exposed decks
- Conceal trash bins and pool or A/C equipment
- On benches, planters
- Create living garden walls
- Section interior rooms for arrangement or privacy
- Frame panels and mount as wall art
- Install lighting behind panels to add depth and dimension
- Add paint or stain to complement aesthetic

AVAILABLE IN *2 STYLES & 7 SIZES*




- 18 X 72 X 1/5
- 24 X 72 X 1/5
- 24 X 72 X 5/16



- 24 X 96 X 5/8
- 24 X 96 X 5/16
- 48 X 72 X 5/16
- 48 X 96 X 5/16

INSTALLATION GUIDE

1. Pre-drill screw holes before mounting.
2. Holes should be drilled at least 1/16" larger than the screw diameter to allow for expansion and contraction.
3. Position drill holes as close to the centre of the panel border (space between edge and cut-out pattern) as is practically possible.
4. Attach panels every 12" to 18" around the entire panel border. Attaching all four sides will secure the panels and help keep them straight
5. Use spacers between panels and surface to allow airflow for drying moisture between them.
6. Where multiple sheets are being installed adjoining each other (at side or top), leave a minimum space of 1/16" between the panel edges, on all sides, to allow for thermal expansion.
7. Do not over tighten screws to avoid damaging the panel.
8. For a more aesthetically pleasing effect, use painted screws to match the panel colour.



CONTACT US

WWW.WAVEIMPORTS.CA

